

DATABASE: SHIP TO/1099/PAYER FILE (ACK)
MFD: SHIPTO
DATASET NAME: PV0108.A143200.P39.SYSCTL.PU0001
Comments: Retrieval is restricted based on SUBDBID = 'ACK'.

<u>Field Title</u>	<u>Focus Field Name</u>	<u>Alias</u>	<u>Occurs</u>	<u>Format</u>	<u>Definition</u>
SHIPTO					
DATABASE ID	DBID		1	A3	The three character Millennium data base mnemonic. "GCT"
SHIP TO GL KEY	GL_KEY		1	A53	
CORPORATION	CORP		1	A2	Allows for grouping of corporations into a higher order than is required for accounting purposes.
SUBCORPORATION	SUBCORP		1	A3	Code assigned to corporation which equates to the corporation code used in the General Ledger.
GROUP CORP	GROUP_CORP		1	A5	This field contains the CORP code and SUBCORP code.
RECORD TYPE (1 CHARACTER)	RECORD_TYPE		1	A1	
SHIP TO CODE	SHIP_TO_CODE		1	A4	
SEGMENT ID	SEGMENT_ID		1	A1	
DATA LENGTH	DATA_LENGTH		1	P5	
SUB DB ID	SUBDBID	RESTRICT_VAR	1	A3	
MILLENIUM BYTES	MILLNM_BYTES		1	A13	
DELETE BYTE	DELETE_BYTE		1	A1	Indicates activity level of record. A=record has not yet been posted to PO masterfile. Other codes indicate that the record has passed edits but not been posted or has been posted to the masterfile.
DESCRIPTION SEQUENCE	DESC_SEQ		1	P5	
ORIGIN	ORIGIN		1	A1	
UPDATE	UPDATE		1	A1	
ADDRESS LINE 1	ADDRESS_LINE1		1	A31	
ADDRESS LINE 2	ADDRESS_LINE2		1	A31	
ADDRESS LINE 3	ADDRESS_LINE3		1	A31	
ADDRESS LINE 4	ADDRESS_LINE4		1	A31	

<i>Field Title</i>	<i>Focus Field Name</i>	<i>Alias</i>	<i>Occurs</i>	<i>Format</i>	<i>Definition</i>
ADDRESS LINE 5	ADDRESS_LINE5		1	A22	
ZIP CODE	ZIP_CODE		1	A9	